

Consultant Level Report for:

Neil Bradbury

GMC Number: 3056750

NJR Number: 755

For the Period to 31 March 2019

Contents

Organisation Summary

Data Quality

Hips

Knees

Appendix 1: SRR Funnel Plots (as Consultant in Charge) - Hips

Appendix 1: SRR Funnel Plots (as Consultant in Charge) - Knees

Appendix 2: SRR Funnel Plots (as Lead Surgeon) - Hips

Appendix 2: SRR Funnel Plots (as Lead Surgeon) - Knees

Appendix 3: 90 day SMR - Hips

Appendix 3: 90 day SMR - Knees

This report has been produced by the National Joint Registry for England, Wales, Northern Ireland and the Isle of Man. It represents all activity recorded in the NJR, in the name of the selected surgeon (as Consultant in Charge), up to the specified period.

This report is made available to the named surgeon for personal review, to share with colleagues, and to be used in consultant revalidation. The named surgeon in this report is free to share this report as they choose.

Constraints

This report reflects data reported in the NJR. Missing data and issues with the quality of data recorded within the NJR may impact the results shown. You should consider the following in assessing the data quality of the report:

- Consent an assessment of the proportion of patients at your trust who provide consent for their details to be recorded within the NJR. Without consent, it is not possible to link primary and revision procedures in the calculation of revision rates.
- NJR Compliance The percentage of all total joint procedures for your trust that have been entered into the NJR within any given period compared with the number of procedures submitted to HES and/or PEDW.

Changes to previous reports

In previous reports, the analyses and reports have been based on all the data held by the NJR, i.e. 'life of registry' data. For both this, and future reports, the analysis will use only the latest ten years' data held by the NJR. This may result in noticeable movement in individual surgeon plots from those displayed on previous funnel plots. For a full explanation of why it has been decided to move from an analysis based on 'life of registry' data to that based on the latest ten years' of data, please visit the NJR website, the details of which are included below.

Further Information

Further analysis of this data is possible through the NJR Clinician Feedback System, www.nirclinicianfeedback.org.uk

For further information please visit the NJR website at www.njrcentre.org.uk or contact the NJR Service Desk on 0845 345 9991 or health_servicedesk@northgateps.com.

Organisation Summary

In this Section: Total primary and revision activity recorded for the surgeon (as Consultant in Charge) on the NJR over a 12 and 36 month period, the joint type, and the hospital in which the operation was performed.

12 month activity: for the period 1 Apr 2018 – 31 Mar 2019

Organisation Type	Unit	Hip	Knee	Ankle	Elbow	Shoulder	Total	% of activity
Independent Sector	BMI Bath Clinic	0	9	0	0	0	9	3%
Independent Sector	Circle Bath Hospital	0	219	0	0	0	219	82%
Independent Sector	Emersons Green NHS Treatment Centre	0	4	0	0	0	4	2%
Independent Sector	The Princess Grace Hospital	0	10	0	0	0	10	4%
Independent Sector	The Wellington Hospital	0	1	0	0	0	1	0%
NHS	Royal United Hospital	1	22	0	0	0	23	9%
Total		1	265	0	0	0	266	

36 month activity: for the period 1 Apr 2016 - 31 Mar 2019

Organisation Type	Unit	Hip	Knee	Ankle	Elbow	Shoulder	Total	% of activity
Independent Sector	BMI Bath Clinic	0	23	0	0	0	23	3%
Independent Sector	Circle Bath Hospital	0	599	0	0	0	599	82%
Independent Sector	Emersons Green NHS Treatment Centre	0	4	0	0	0	4	1%
Independent Sector	The Princess Grace Hospital	0	10	0	0	0	10	1%
Independent Sector	The Wellington Hospital	0	8	0	0	0	8	1%
NHS	Royal United Hospital	5	79	0	0	0	84	12%
Total		5	723	0	0	0	728	

Data Quality

In this Section: Measure of consent is the proportion of all patients who agree to have their data stored in the NJR. Where consent is less than average, this may mean that not all data for the surgeon is loaded on the NJR, or that missing data for the surgeon reduces the reliability of indicators and outcome measures. Counts are for the period 1 Apr 2018 – 31 Mar 2019.

NJR Consent:


Measure	NJR Consent
National Average Rate	94.17%
This surgeon's rate	86.09%

Unit level measures where this surgeon has activity:


Organisation Type	Unit	NJR Consent
Independent Sector	BMI Bath Clinic	100.00%
Independent Sector	Circle Bath Hospital	84.47%
Independent Sector	Emersons Green NHS Treatment Centre	100.00%
Independent Sector	The Princess Grace Hospital	90.00%
Independent Sector	The Wellington Hospital	100.00%
NHS	Royal United Hospital	91.30%

Knees - Recorded Activity

In this Section: Volume, procedure type undertaken by the surgeon over a 36 month period, showing year on year trend.



Procedure Type	Apr16-Mar17	Apr17-Mar18	Apr18-Mar19	
Primary Patello Femoral	6	16	17	
Primary Total Knee Replacement	171	157	179	
Primary Unicondylar	40	49	57	
Revision	14	5	12	
Total	231	227	265	




Knee Constraint	Apr16- Mar17	Apr17- Mar18	Apr18- Mar19	
Constrained Condylar	5	2	1	
Fixed	0	4	3	
Mobile	37	45	52	
Posterior Stabilised Fixed	49	26	30	
Unconstrained Fixed	133	132	160	
Unconstrained Mobile	0	0	1	
Total	224	209	247	

Knees - Patient Profile

In this Section: The profile of knee patients operated on in the name of the surgeon (as Consultant in Charge) over the 12 month period 1 Apr 2018 – 31 Mar 2019.

ASA Grade

BMI



	Patient Median BMI
National	30.00
Surgeon	27.00

AGE

	Patient Mean Age
National	69.06
Surgeon	68.53

Outcomes following Primary Knee Surgery

In this Section: Quality and outcome measures for patients receiving primary knee replacement surgery by this surgeon based on an analysis of the most recent ten years' of data. This is a change to previous reports where the analysis has been based on all data held by the NJR, i.e. 'life of registry'. The SRR and SMR data are also available as funnel plots: see Appendices 1, 2 and 3.

Indicator Set	Indicator	Linkable Primaries	Expected Events	Observed Events	Worse than Expected Worse than Expected
Mortality	Primary Knee – Last Five Years	1100	1.82	2	The state of the s
Revision	Knee All - Last Ten Years	1619	32.39	23	
Revision	Knee All - Last Five Years	1109	13.76	10	▼
Revision	Total Knee Replacement - Last Ten Years	1136	17.59	8	
Revision	Unicondylar Knee Procedures - Last Ten Years	378	14.40	11	
Revision	Patello-Femoral Knee Procedures - Last Ten Years	105	8.83	4	▼ I

Definitions


Mortality: Patient death (for whatever reason) within 90 days of the procedure having taken place.


The expected number of events in the table above are based on the number of primary procedures performed, and have been calculated from national average figures. The expected number has been adjusted to take into account selected patient variables such as age, gender, and ASA grade. The charts to the right depict the statistical significance of any difference between the observed number of events and corresponding expected number. There is a less than 0.1% chance that any individual surgeon will fall in the "better than expected" zone by chance alone, and similarly less than 0.1% chance of falling in the "worse than expected" zone. Note that depiction as an outlier does not constitute proof of over or under performance; some variation could be attributable to patient related (or other) risk factors that are not included in the adjustment model.

When calculating the 90 Day SMR, some primary procedures are excluded. For hips, this is procedures with indications of trauma or metastatic cancer/malignancy. For knees, it is procedures with trauma as an indication for implantation.


Appendix 1: SRR Funnel Plots (as Consultant in Charge) - Knees

Standardised Revision Ratio Funnel Plot Representation: This section illustrates your Standardised Revision Ratio in the form of a funnel plot, based on the most recent ten years' of data. This is an alternative method of displaying the values shown within the main report for this indicator, and includes plots for all other surgeons.





Knee all - Last Ten years



Mar 2019

Lower 95% -


Lower 99.8%


- Upper 95% -

Outlier


Appendix 1: SRR Funnel Plots (as Consultant in Charge) - Knees

Standardised Revision Ratio Funnel Plot Representation: This section illustrates your Standardised Revision Ratio in the form of a funnel plot, based on the most recent ten years' of data. This is an alternative method of displaying the values shown within the main report for this indicator, and includes plots for all other surgeons.







Patello-femoral Knee procedures




Appendix 2 : SRR Funnel Plots (as Lead Surgeon) - Knees


Standardised Revision Ratio Funnel Plot Representation: This section illustrates your Standardised Revision Ratio in the form of a funnel plot, based on the most recent ten years' of data. This is an alternative method of displaying the values shown within the main report for this indicator, and includes plots for all other surgeons.








Knee all - Last Ten years (from 1481 linkable primary procedures)




Appendix 2: SRR Funnel Plots (as Lead Surgeon) - Knees

Standardised Revision Ratio Funnel Plot Representation: This section illustrates your Standardised Revision Ratio in the form of a funnel plot, based on the most recent ten years' of data. This is an alternative method of displaying the values shown within the main report for this indicator, and includes plots for all other surgeons.


Total Knee replacements (from 1037 linkable primary procedures)



Unicondylar Knee procedures (from 343 linkable primary procedures)



Patello-femoral Knee procedures (from 101 linkable primary procedures)



- Lower 99.8% ◆ Outlier ◆ Mar 2019

Knees

Appendix 3 : 90 day SMR - Knees

Standardised Mortality Ratio Funnel Plot Representation: This section illustrates your Standardised Mortality Ratio (SMR) in the form of a funnel plot, based on the most recent five years' of data. It shows the SMR for mortality events occurring within 90 days of the primary procedure. This is an alternative method of displaying the values shown within the main report for this indicator and includes plots for all other surgeons.

